



International Classification of Diseases 9th Revision (ICD-9-CM) codes were selected from the TridentUSA Health Services 2014 dates of service as representing the most frequently reported signs and symptoms for ordered diagnostic tests

| ICD-9-CM Code w/Description  | ICD-10-CM Code(s) Mapping w/Description   |
|--|---|
| (789.00) Abdominal pain, unspecified site; Cramps, abdominal, unspecified site       | (R10.0) Acute abdomen; Severe abdominal pain (generalized) (with abdominal rigidity)<br>(R10.9) Unspecified abdominal pain  |
| (785.9) Other symptoms involving cardiovascular system; Bruit (arterial); Weak pulse | (R09.89) Other specified symptoms and signs involving the circulatory and respiratory systems; Bruit (arterial); Abnormal chest percussion; Feeling of foreign body in throat; Friction sounds in chest; Chest tympany; Choking sensation; Rales; Weak pulse  |
| (729.81) Swelling of limb  | (M79.89) Other specified soft tissue disorders; Polyalgia   |
| (729.5) Pain in limb   | (M79.601) Pain in right arm; Pain in right upper limb NOS<br>(M79.602) Pain in left arm; Pain in left upper limb NOS<br>(M79.603) Pain in arm, unspecified; Pain in upper limb NOS<br>(M79.604) Pain in right leg; Pain in right lower limb NOS<br>(M79.605) Pain in left leg; Pain in left lower limb NOS<br>(M79.606) Pain in leg, unspecified; Pain in lower limb NOS<br>(M79.609) Pain in unspecified limb; Pain in limb NOS<br><br>(M79.621) Pain in right upper arm<br>(M79.622) Pain in left upper arm<br>(M79.629) Pain in unspecified upper arm<br>(M79.631) Pain in right forearm<br>(M79.632) Pain in left forearm<br>(M79.639) Pain in unspecified forearm<br>(M79.641) Pain in right hand<br>(M79.642) Pain in left hand<br>(M79.643) Pain in unspecified hand<br>(M79.644) Pain in right finger(s)<br>(M79.645) Pain in left finger(s)<br>(M79.646) Pain in unspecified finger(s)<br>(M79.651) Pain in right thigh<br>(M79.652) Pain in left thigh<br>(M79.659) Pain in unspecified thigh<br>(M79.661) Pain in right lower leg<br>(M79.662) Pain in left lower leg<br>(M79.669) Pain in unspecified lower leg<br>(M79.671) Pain in right foot<br>(M79.672) Pain in left foot<br>(M79.673) Pain in unspecified foot<br>(M79.674) Pain in right toe(s)<br>(M79.675) Pain in left toe(s)<br>(M79.676) Pain in unspecified toe(s) |



International Classification of Diseases 9th Revision (ICD-9-CM) codes were selected from the TridentUSA Health Services 2014 dates of service as representing the most frequently reported signs and symptoms for ordered diagnostic tests

| ICD-9-CM Code w/Description |   |
|-----------------------------|---|
| (790.5)                     | Other nonspecific abnormal serum enzyme levels; Abnormal serum level of: acid phosphatase, alkaline phosphatase; Abnormal serum level of: amylase, lipase |
| (789.30)                    | Abdominal or pelvic swelling, mass, or lump, unspecified site; Diffuse or generalized swelling or mass: abdominal NOS, umbilical                          |
| (782.2)                     | Localized superficial swelling, mass, or lump; Subcutaneous nodules   |
| (789.01)                    | Abdominal pain, right upper quadrant; Cramps, abdominal, right upper quadrant   |
| (782.3)                     | Edema; Localized Edema NOS; Anasarca; Dropsy  |
| (788.0)                     | Renal colic; Colic (recurrent) of: kidney, ureter   |
| (794.4)                     | Abnormal renal function test  |
| (625.9)                     | Unspecified symptom associated with female genital organ  |
| (707.14)                    | Ulcer of heel and midfoot; Plantar surface of midfoot   |

| ICD-10-CM Code(s) Mapping w/Description |   |
|---|---|
| (R74.8)                                 | Abnormal levels of other serum enzymes  |
| (R94.5)                                 | Abnormal results of liver function studies  |
| (R19.00)                                | Intra-abdominal and pelvic swelling, mass and lump, unspecified site                    |
| (R22.30)                                | Localized swelling, mass and lump, unspecified upper limb                               |
| (R22.31)                                | Localized swelling, mass and lump, right upper limb                                     |
| (R22.32)                                | Localized swelling, mass and lump, left upper limb                                      |
| (R22.33)                                | Localized swelling, mass and lump, upper limb, bilateral                                |
| (R22.40)                                | Localized swelling, mass and lump, unspecified lower limb                               |
| (R22.41)                                | Localized swelling, mass and lump, right lower limb                                     |
| (R22.42)                                | Localized swelling, mass and lump, left lower limb                                      |
| (R22.43)                                | Localized swelling, mass and lump, lower limb, bilatera                                 |
| (R22.9)                                 | Localized swelling, mass and lump, unspecified  |
| (R22.0)                                 | Localized swelling, mass and lump, head   |
| (R22.1)                                 | Localized swelling, mass and lump, neck   |
| (R22.2)                                 | Localized swelling, mass and lump, trunk  |
| (R10.11)                                | Pain localized to upper abdomen; Right upper quadrant pain                              |
| (R60.0)                                 | Localized edema   |
| (R60.1)                                 | Generalized edema   |
| (R60.9)                                 | Edema, unspecified; Fluid retention NOS   |
| (N23)                                   | Unspecified renal colic   |
| (R94.4)                                 | Abnormal results of kidney function studies; Abormal renal function test                |
| (R10.2)                                 | Pelvic and perineal pain  |
| (N94.89)                                | Other specified conditions associated with female genital organs and menstrual cycle    |
| (L97.401)                               | Non-pressure chronic ulcer of unspecified heel and midfoot limited to breakdown of skin |
| (L97.402)                               | Non-pressure chronic ulcer of unspecified heel and midfoot with fat layer exposed       |
| (L97.403)                               | Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of muscle      |
| (L97.404)                               | Non-pressure chronic ulcer of unspecified heel and                                      |



International Classification of Diseases 9th Revision (ICD-9-CM) codes were selected from the TridentUSA Health Services 2014 dates of service as representing the most frequently reported signs and symptoms for ordered diagnostic tests

| ICD-9-CM Code w/Description  | ICD-10-CM Code(s) Mapping w/Description  |
|--|--|
|  | midfoot with necrosis of bone  |
|  | (L97.409) Non-pressure chronic ulcer of unspecified heel and midfoot with unspecified severity                 |
|  | (L97.411) Non-pressure chronic ulcer of right heel and midfoot limited to breakdown of skin                    |
|  | (L97.412) Non-pressure chronic ulcer of right heel and midfoot with fat layer exposed                          |
|  | (L97.413) Non-pressure chronic ulcer of right heel and midfoot with necrosis of muscle                         |
|  | (L97.414) Non-pressure chronic ulcer of right heel and midfoot with necrosis of bone                           |
|  | (L97.419) Non-pressure chronic ulcer of right heel and midfoot with unspecified severity                       |
|  | (L97.421) Non-pressure chronic ulcer of left heel and midfoot limited to breakdown of skin                     |
|  | (L97.422) Non-pressure chronic ulcer of left heel and midfoot with fat layer exposed                           |
|  | (L97.423) Non-pressure chronic ulcer of left heel and midfoot with necrosis of muscle                          |
|  | (L97.424) Non-pressure chronic ulcer of left heel and midfoot with necrosis of bone                            |
|  | (L97.429) Non-pressure chronic ulcer of left heel and midfoot with unspecified severity                        |
|  |  |
| (599.70) Hematuria, unspecified; Hematuria (benign) (essential), unspecified | (R31.9) Hematuria, unspecified   |
|  |  |
| (784.2) Swelling, mass, or lump in head and neck                             | (R22.0) Localized swelling, mass and lump, head  |
|  | (R22.1) Localized swelling, mass and lump, neck  |
|  | (R90.0) Intracranial space-occupying lesion found on diagnostic imaging of central nervous system              |
|  |  |
| (599.0) Urinary tract infection, site not specified                          | (N39.0) Urinary tract infection, site not specified  |
|  |  |
| (707.10) Ulcer of lower limb, unspecified                                    | (L97.901) Non-pressure chronic ulcer of unspecified part of unspecified lower leg limited to breakdown of skin |
|  | (L97.902) Non-pressure chronic ulcer of unspecified part of unspecified lower leg with fat layer exposed       |
|  | (L97.903) Non-pressure chronic ulcer of unspecified part of unspecified lower leg with necrosis of muscle      |
|  | (L97.904) Non-pressure chronic ulcer of unspecified part of unspecified lower leg with necrosis of bone        |
|  | (L97.909) Non-pressure chronic ulcer of unspecified part of unspecified lower leg with unspecified severity    |
|  | (L97.911) Non-pressure chronic ulcer of unspecified part of right lower leg limited to breakdown of skin       |
|  | (L97.912) Non-pressure chronic ulcer of unspecified part of right lower leg with fat layer exposed             |
|  | (L97.913) Non-pressure chronic ulcer of unspecified part of right lower leg with necrosis of muscle            |



International Classification of Diseases 9th Revision (ICD-9-CM) codes were selected from the TridentUSA Health Services 2014 dates of service as representing the most frequently reported signs and symptoms for ordered diagnostic tests

| ICD-9-CM Code w/Description  | ICD-10-CM Code(s) Mapping w/Description   |
|--|---|
|  | (L97.914) Non-pressure chronic ulcer of unspecified part of right lower leg with necrosis of bone       |
|  | (L97.919) Non-pressure chronic ulcer of unspecified part of right lower leg with unspecified severity   |
|  | (L97.921) Non-pressure chronic ulcer of unspecified part of left lower leg limited to breakdown of skin |
|  | (L97.922) Non-pressure chronic ulcer of unspecified part of left lower leg with fat layer exposed       |
|  | (L97.923) Non-pressure chronic ulcer of unspecified part of left lower leg with necrosis of muscle      |
|  | (L97.924) Non-pressure chronic ulcer of unspecified part of left lower leg with necrosis of bone        |
|  | (L97.929) Non-pressure chronic ulcer of unspecified part of left lower leg with unspecified severity    |
| (707.15) Ulcer of other part of foot; Toes   | (L97.501) Non-pressure chronic ulcer of other part of unspecified foot limited to breakdown of skin     |
|  | (L97.502) Non-pressure chronic ulcer of other part of unspecified foot with fat layer exposure          |
|  | (L97.503) Non-pressure chronic ulcer of other part of unspecified foot with necrosis of muscle          |
|  | (L97.504) Non-pressure chronic ulcer of other part of unspecified foot with necrosis of bone            |
|  | (L97.509) Non-pressure chronic ulcer of other part of unspecified foot with unspecified severity        |
|  | (L97.511) Non-pressure chronic ulcer of other part of right foot limited to breakdown of skin           |
|  | (L97.512) Non-pressure chronic ulcer of other part of right foot with fat layer exposure                |
|  | (L97.513) Non-pressure chronic ulcer of other part of right foot with necrosis of muscle                |
|  | (L97.514) Non-pressure chronic ulcer of other part of right foot with necrosis of bone                  |
|  | (L97.519) Non-pressure chronic ulcer of other part of right foot with unspecified severity              |
|  | (L97.521) Non-pressure chronic ulcer of other part of left foot limited to breakdown of skin            |
|  | (L97.522) Non-pressure chronic ulcer of other part of left foot with fat layer exposure                 |
|  | (L97.523) Non-pressure chronic ulcer of other part of left foot with necrosis of muscle                 |
|  | (L97.524) Non-pressure chronic ulcer of other part of left foot with necrosis of bone                   |
|  | (L97.529) Non-pressure chronic ulcer of other part of left foot with unspecified severity               |
| (611.72) Lump or mass in breast  | (N63) Unspecified lump in breast; Nodule(s) NOS in breast   |
| (789.03) Abdominal pain, right lower quadrant; Cramps, abdominal, right lower quadrant | (R10.31) Pain localized to other parts of lower abdomen; Right lower quadrant pain                      |
| (608.9) Unspecified disorder of male genital organs                                    | (R10.2) Pelvic and perineal pain  |
|  | (N50.9) Disorder of male genital organs, unspecified  |



International Classification of Diseases 9th Revision (ICD-9-CM) codes were selected from the TridentUSA Health Services 2014 dates of service as representing the most frequently reported signs and symptoms for ordered diagnostic tests

| ICD-9-CM Code w/Description   | ICD-10-CM Code(s) Mapping w/Description   |
|---|---|
| (608.86) Edema of male genital organs   | (N50.8) Other specified disorders of male genital organs: Atrophy of scrotum, seminal vesicle, spermatic cord, testis, tunica vaginalis and vas deferens; Edema of scrotum, seminal vesicle, spermatic cord testis, tunica vaginalis and vas deferens; Hypertrophy of scrotum, seminal vesicle, spermatic cord, testis, tunica vaginalis and vas deferens; Ulcer of scrotum, seminal vesicle, spermatic cord, testis, tunica vaginalis, and vas deferens; Chylocele, tunica vaginalis (nonfilarial) NOS; Urethroscrotal fistula; Stricture of spermatic cord, tunica vaginalis, and vas deferens. |
| (443.89) Other peripheral vascular disease; Other: Acrocyanosis, Acroparasthesia: simple [Schultze's type]; vasomotor [Nothnagel's type], Erthyrocyanosis | (I73.89) Other specified peripheral vascular disease; Acrocyanosis; Erythrocyanosis; Simple acroparasthesia [Schultze's type]; Vasomotor acroparasthesia [Nothnagel's type].  |
| (627.1) Postmenopausal bleeding   | (N95.0) Postmenopausal bleeding   |
| (789.04) Abdominal pain, left lower quadrant; Cramps, abdominal, left lower quadrant  | (R10.32) Pain localized to other parts of lower abdomen; Left lower quadrant pain   |
| (250.70) Diabetes with peripheral circulatory disorders type II or unspecified type, not stated as uncontrolled   | (E11.51) Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene<br>(E11.52) Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene<br>(E11.59) Type 2 diabetes mellitus with other circulatory complications<br>(E13.51) Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene<br>(E13.52) Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene<br>(E13.59) Other specified diabetes mellitus with other circulatory complications   |

The above list is intended to assist ordering physicians/practitioners in providing ICD-10 Diagnosis codes as required by Medicare and other insurers. This list includes examples of diagnoses based on 2014 TridentUSA ordering data, but it does not represent a complete list of x-ray related diagnoses. The list was compiled from the ICD-10-CM 2015, as well as the Medicare Regulations and Manuals issued or authorized by the Centers for Medicare and Medicaid Services. An ICD-10-CM book should be used for complete reference. The ultimate responsibility for correct coding lies with the ordering physician/practitioner.